

DTW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE  
Group Art Unit 3732

In re

Patent Application of

John C. Voudouris

Application No. 10/784,313


Confirmation No.: 2149

Filed: February 20, 2004

Examiner: Cary E. O'Connor

"ORTHODONTIC BRACKET"

I, Gina Howden, hereby certify that this correspondence is being deposited with the US Postal Service as first class mail in an envelope addressed to Mail Stop Issue Fee, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date of my signature.



Signature

6-17-05

Date of Signature

RESPONSE TO NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

Mail Stop ISSUE FEE  
Commissioner for Patents  
ATTENTION: Official Draftsperson  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

In response to the Notice of Drawing Inconsistency with Specification, dated March 20, 2005, please substitute sheet 23 of 56 as originally filed with the attached sheet entitled "Replacement Sheet 23 of 56". No new matter has been added. The figure "Fig. 41B" has been amended to read "Fig. 41A" as listed in the Brief Description of the Drawings in the specification.

Entry of the enclosed drawings is respectfully requested.

Respectfully submitted,



Kevin P. Moran  
Reg. No. 37,193

File No. 072270-9029-00  
Michael Best & Friedrich LLP  
100 East Wisconsin Avenue  
Suite 3300  
Milwaukee, Wisconsin 53202-4108  
414.271.6560